

ZHE THAI
VALVES

ZHE THAI GENERAL VALVES CATALOG

WWW.ZT-VALVE.COM.TW

SALES@ZT-VALVE.COM.TW





REDUCED PORT 1-PC BALL VALVES



SIZE	1/4"~2"	
	PRESSURE	MODEL
	1000PSI	ZT-110M
Material	CF8M&WCB	
Ends	NPT/BSP	
Specifications	SEAT:RTFE BALL/STEM:SS316 Lock Handle	

REDUCED PORT 1-PC BALL VALVES



SIZE	1/2"~2"	
	PRESSURE	MODEL
	1500PSI-2000PSI	ZT-105
Material	CF8M&316	
Ends	NPT/BSP	
Specifications	SEAT:RTFE BALL/STEM:SS316	

REDUCED PORT 1-PC BALL VALVES



SIZE	1/2"~2"	
	PRESSURE	MODEL
	2000PSI	ZT-104
Material	Carbon Steel	
Ends	NPT/BSP	
Specifications	SEAT:MG1241/RTFE BALL/STEM:SS304	



Management System
ISO 9001:2015

ZHE THAI MACHINERY CO., LTD. WWW.ZT-VALVE.COM.TW

TEL : (+886)4-22714898 FAX : (+886)4-22714903

EMAIL : DAVID@ZT-VALVE.COM.TW 、 SALES@ZT-VALVE.COM.TW






FULL PORT 2-PC BALL VALVES



SIZE	1/4"~3"	
	PRESSURE	MODEL
	1000PSI	ZT-210
Material	CF8M&WCB	
Ends	NPT/BSP	
Specifications	SEAT:RTFE BALL/STEM:SS316 Lock Handle	

FULL PORT 2-PC BALL VALVES



SIZE	1/2"~2"	
	PRESSURE	MODEL
	2000PSI	ZT-266FT ZT-201H
Material	CF8M&WCB	
Ends	NPT/BSP	
Specifications	SEAT:PTFE/RTFE BALL/STEM:SS316 Lock Handle	

REDUCED PORT 2-PC BALL VALVES



SIZE	1/2"~2"	
	PRESSURE	MODEL
	2000PSI	ZT-204
Material	CF8M&WCB	
Ends	NPT/BSP	
Specifications	SEAT:PTFE/RTFE BALL/STEM:SS316 Lock Handle	

FULL PORT 2-PC BALL VALVES



SIZE	1/2"~2"	
	PRESSURE	MODEL
	1000PSI	ZT-210DLM
Material	CF8M&WCB	
Ends	NPT/BSP	
Specifications	SEAT:PTFE/RTFE BALL/STEM:SS304 Lock Handle Iso5211 Directed Mounting Pad	



Management System
ISO 9001:2015

ZHE THAI MACHINERY CO., LTD. WWW.ZT-VALVE.COM.TW

TEL : (+886)4-22714898 FAX : (+886)4-22714903

EMAIL : DAVID@ZT-VALVE.COM.TW , SALES@ZT-VALVE.COM.TW





FULL PORT 2-PC BALL VALVES



FULL PORT 2-PC BALL VALVES



SIZE	1/4"~2"	
	PRESSURE	MODEL
	3000PSI	ZT-231A
Material	CF8M&WCB	
Ends	NPT/BSP	
Specifications	SEAT:TFM1600/DELRIN BALL/STEM:SS316 Lock Handle Iso5211 Mounting Pad	

SIZE	1/2"~2"	
	PRESSURE	MODEL
	6000PSI	ZT-260
Material	CF8M&WCB	
Ends	NPT/BSP	
Specifications	SEAT:PEEK/DELRIN BALL/STEM:SS316 Lock Handle Iso5211 Mounting Pad	

FULL PORT 3-PC BALL VALVES



FULL PORT 3-PC BALL VALVES



SIZE	1/2"~4"	
	PRESSURE	MODEL
	1000PSI	ZT-306MH
Material	CF8M&WCB	
Ends	NPT/BSP/SW/BW	
Specifications	SEAT:PTFE/RTFE BALL/STEM:SS316 Lock Handle Iso5211 Directed Mounting Pad	

SIZE	1/4"~4"	
	PRESSURE	MODEL
	1000PSI	ZT-301
Material	CF8M&WCB	
Ends	NPT/BSP/SW/BW	
Specifications	SEAT:RTFE/PTFE BALL/STEM:SS316 Lock Handle	



Management System
ISO 9001:2015

ZHE THAI MACHINERY CO., LTD. WWW.ZT-VALVE.COM.TW

TEL : (+886)4-22714898 FAX : (+886)4-22714903

EMAIL : DAVID@ZT-VALVE.COM.TW 、 SALES@ZT-VALVE.COM.TW





FULL PORT 3-PC BALL VALVES



SIZE	1/4"~4"	
	PRESSURE	MODEL
	1000PSI	ZT-310M
Material	CF8M&WCB	
Ends	NPT/BSP/SW/BW	
Specifications	SEAT:RTFE BALL/STEM:SS316 Lock Handle Iso5211 Mounting Pad	

FULL PORT 3-PC BALL VALVES



Fire Safe Design(API 607)

SIZE	1/2"~2"	
	PRESSURE	MODEL
	1500PSI-2000PSI	ZT-303
Material	CF8M&WCB	
Ends	NPT/BSP/SW/BW	
Specifications	SEAT:PTFE/RTFE BALL/STEM:SS316 Lock Handle Option: Fire-Safe Design	

FULL PORT 3-PC BALL VALVES



Fire Safe Design(API 607)

SIZE	1/4"~4"	
	PRESSURE	MODEL
	1000PSI-3000PSI	ZT-W3HMT ZT-S88HMT
Material	CF8M&WCB	
Ends	NPT/BSP/SW/BW	
Specifications	SEAT:RTFE/PTFE/DELTRIN BALL/STEM:SS316 Iso5211 Directed Mounting Pad Option: Fire-Safe Design	

FULL PORT 3-PC BALL VALVES



Fire Safe Design(API 607)

SIZE	1/4"~2"	
	PRESSURE	MODEL
	6000PSI	ZT-360
Material	SS316&Carbon Steel	
Ends	NPT/BSP/SW/BW	
Specifications	SEAT:Peek/Delrin BALL/STEM:SS316/17-4PH Iso5211 Mounting Pad Option: Fire-Safe Design	



Management System
ISO 9001:2015

ZHE THAI MACHINERY CO., LTD. WWW.ZT-VALVE.COM.TW

TEL : (+886)4-22714898 FAX : (+886)4-22714903

EMAIL : DAVID@ZT-VALVE.COM.TW 、 SALES@ZT-VALVE.COM.TW





SANITARY 3-PC BALL VALVES



SIZE	1/2"~4"	
	PRESSURE	MODEL
	1000PSI	ZT-3LMT
Material	CF8M/CF3M	
Ends	T-Clamp&Tube End	
Specifications	SEAT: Cavity PTFE/TFM1600 BALL/STEM: SS316/SS316L Lock Handle Iso5211 Mounting Pad 3A/BPE Standard	

SANITARY 3-PC BALL VALVES




SIZE	1/2"~6"	
	PRESSURE	MODEL
	1000PSI	ZT-3CBV
Material	CF8M/CF3M	
Ends	T-Clamp&Tube End	
Specifications	SEAT: Cavity PTFE/TFM1600 BALL/STEM: SS316/SS316L Lock Handle Iso5211 Directed Mounting Pad 3A/BPE Standard	

SANITARY MULTIPLE BALL VALVES



SIZE	1/2"~4"	
	PRESSURE	MODEL
	400PSI-1000PSI	ZT-4HMT
Material	CF8M/CF3M	
Ends	T-Clamp&Tube End	
Specifications	SEAT: Cavity PTFE/TFM1600 BALL/STEM:SS316/SS316L Iso5211 Directed Mounting Pad 3A/BPE Standard	

2-PC FLANGE BALL VALVES



Fire Safe Design(API 607)

SIZE	1/2"~4"	
	PRESSURE	MODEL
	Class150	ZT-F601
Material	CF8M&WCB	
Ends	FLANGE	
Specifications	SEAT:PTFE/RTFE/TFM1600 BALL/STEM:SS316 Lock Handle Iso5211 Mounting Pad Option: Fire-Safe Design	



Management System
ISO 9001:2015

ZHE THAI MACHINERY CO., LTD. WWW.ZT-VALVE.COM.TW

TEL : (+886)4-22714898 FAX : (+886)4-22714903

EMAIL : DAVID@ZT-VALVE.COM.TW , SALES@ZT-VALVE.COM.TW





2-PC FLANGE BALL VALVES



Fire Safe Design(API 607)

SIZE	1/4"~4"	
	PRESSURE	MODEL
	PN40/25	ZT-F602
Material	EN1.4408&EN1.0619	
Ends	FLANGE	
Specifications	SEAT:PTFE/RTFE/TFM1600 BALL/STEM:SS316 Lock Handle Iso5211 Mounting Pad Option: Fire-Safe Design	

2-PC FLANGE BALL VALVES



Fire Safe Design(API 607)

SIZE	1/4"~4"	
	PRESSURE	MODEL
	JIS 10K	ZT-F603A
Material	SCS13/14/16	
Ends	FLANGE	
Specifications	SEAT:PTFE/RTFE/TFM1600 BALL/STEM:SS316 Lock Handle Iso5211 Mounting Pad Option: Fire-Safe Design	

WAFER CHECK VALVE



SIZE	1/2"~8"	
	PRESSURE	MODEL
	PN40/25	ZT-C801
Material	CF8M	
Ends	WAFER	
Specifications	SEAT:METAL TO METAL FACE TO FACE: DIN 3204 K4	

NEEDLE VALVE



SIZE	1/8"~1"	
	PRESSURE	MODEL
	6000PSI 10000PSI	ZT-NF6000 ZT-NF10000
Material	CF8M&WCB	
Ends	NPT/BSP/SW/BW	
Specifications	SEAT:METAL TO METAL STEM:SS316	



Management System
ISO 9001:2015

ZHE THAI MACHINERY CO., LTD. WWW.ZT-VALVE.COM.TW

TEL : (+886)4-22714898 FAX : (+886)4-22714903

EMAIL : DAVID@ZT-VALVE.COM.TW , SALES@ZT-VALVE.COM.TW





ZHE THAI
V A L V E S

ZHE THAI GENERAL VALVES CATALOG

WWW.ZT-VALVE.COM.TW

SALES@ZT-VALVE.COM.TW

